

### Hefei TNJ Chemical Industry Co.,Ltd.

B910-911 Xincheng Business Center, Qianshan Rd. Hefei 230022 China

Tel: (0086) 551 65418678

Fax: (0086) 551 65418697

Email: info@tnjchem.com

Site: www.tnjchem.com

# Material Safety Data Sheet

# **Pyrithione Zinc**

# **Section 1: Chemical Product and Company Identification**

Molecular formula:C10H8N2O2S2Zn

CAS Nr: 13463-41-7

Molecular weight: 317.72 Synonyms: Pyrithione Zinc

Contact Information for Emergency: (0086) 551 65418678

Hefei TNJ Chemical Industry Co.,Ltd.

B910-911 Xincheng Business Center

Cianshan Road, Hefei

Tel: (0086) 551 65418678

Fax: (0086) 551 65418697

Email: info@tnjchem.com

China

Site: www.tnjchem.com

# **Section 2: Composition and Information on Ingredients**

Composition:

NameCAS #%By WeightPyrithione Zinc13463-41-7100

### Section 3: Hazards Identification

### 3.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Serious eye damage (Category 1), H318

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 3.2 GHS Label elements, including precautionary statements

Signal word Danger

Hazard statement(s)

H301 + H331 Toxic if swallowed or if inhaled H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/

physician.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

P321 Specific treatment (see supplemental first aid instructions on this label).

P330 Rinse mouth.
P391 Collect spillage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

### Section 4: First Aid Measures

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# Section 5: Fire and Explosion Data

# 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx), Sulphur oxides, Zinc/zinc oxides

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

# Section 6: Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

# **Section 7: Handling and Storage**

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result

in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration

before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **Section 8: Exposure Controls/Personal Protection**

### 8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm Break through time: 480 min

Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm Break through time: 480 min

Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**Body Protection** 

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# **Section 9: Physical and Chemical Properties**

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Colour: beige

b) Odour odourless

c) Odour Thresholdd) pHNo data availableNo data available

e) Melting point/freezing point Melting point/range: 267 ° C (513 ° F) - OECD Test Guideline 102

f) Initial boiling point and No data available

boiling range

g) Flash point No data available
h) Evaporation rate No data available
i) Flammability (solid, gas) No data available
j) Upper/lower No data available

flammability or explosive limits

k) Vapour pressure No data available I) Vapour density No data available

m) Relative density  $1.76 \text{ g/cm} 3 \text{ at } 20.1 ^{\circ} \text{ C } (68.2 ^{\circ} \text{ F})$ 

n) Water solubility 0.00493 g/l at 20 ° C (68 ° F) - OECD Test Guideline 105

o)Partition coefficient: log Pow:0.9 at 25°C (77°F)

n-octanol/water

temperature

temperature

r) Viscositys) Explosive propertiest) Oxidizing propertiesNo data availableNo data available

9.2 Other safety information

Surface tension 73 mN/m at 20 ° C (68 ° F)

# Section 10: Stability and Reactivity Data

### 10.1 Reactivity

No data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

# 10.4 Conditions to avoid

Light.

# 10.5 Incompatible materials

Oxidizing agents, Heavy metals, Reducing agents

# 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

# **Section 11: Toxicological Information**

### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - male and female - 269 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male - 4 h - 0.84 mg/l

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg

#### No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

(OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Risk of serious damage to eyes. - 24 h

(OECD Test Guideline 405)

### Respiratory or skin sensitisation

Maximisation Test (GPMT) - Guinea pig

Result: Does not cause skin sensitisation.

(OECD Test Guideline 406)

### Germ cell mutagenicity

Ames test

S. typhimurium

Result: negative

Mouse

Result: negative

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

Reproductive toxicity - Rabbit - Oral

Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).

Effects on Embryo or Fetus: Fetal death.

Reproductive toxicity - Rat - Skin

Effects on Newborn: Weaning or lactation index (e.g., # alive at weaning per # alive at day 4).

Developmental Toxicity - Rabbit - Skin

Effects on Embryo or Fetus: Fetal death.

Developmental Toxicity - Rat - Oral

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities:

Musculoskeletal system.

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

### **Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - No observed adverse effect level - 0.5 mg/kg

RTECS: ZH0950000

**Drowsiness** 

# Section 12: Ecological Information

# 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 0.0026 mg/l - 96 h

Toxicity to daphnia and

other aquatic

invertebrates

flow-through test EC50 - Daphnia magna (Water flea) - 0.008 mg/l - 48 h

Toxicity to bacteria Respiration inhibition EC50 - Sludge Treatment - 2.4 mg/l - 3 h

(OECD Test Guideline 209)

### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 39 % - Not readily biodegradable.

(OECD Test Guideline 301B)

### 12.3 Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp) - 56 d

Bioconcentration factor (BCF): < 50

(OECD Test Guideline 305C)

Remarks: Does not bioaccumulate.

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

# **Section 13: Disposal Considerations**

### 13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

# **Section 14: Transport Information**

DOT (US)

UN number: 2811 Class: 6.1 Packing group: II

Proper shipping name: Toxic solids, organic, n.o.s. (Pyrithione zinc)

Reportable Quantity (RQ):

Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN number: 2811 Class: 6.1 Packing group: II EMS-No: F-A, S-A Proper shipping name: TOXIC SOLID, ORGANIC, N.O.S. (Pyrithione zinc)

Marine pollutant: No

IATA

UN number: 2811 Class: 6.1 Packing group: II

Proper shipping name: Toxic solid, organic, n.o.s. (Pyrithione zinc)

# Section 15: Other Regulatory Information

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Pyrithione zinc

CAS-No.

13463-41-7 Revision Date 2007-07-01

### SARA 311/312 Hazards

Acute Health Hazard

### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

# Pennsylvania Right To Know Components

Pyrithione zinc

CAS-No.

13463-41-7 Revision Date 2007-07-01

New Jersey Right To Know Components

Pyrithione zinc

CAS-No.

13463-41-7 Revision Date 2007-07-01

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

Created: 05/21/2014 12:10 AM

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we m be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if we have been advised of the possibility of such damages.